



Inter-Operability of ESA Science Archives

Christophe ARVISET Christophe. Arviset@esa.int



Presentation Overview

IDA and XSA Quick Overview

Open and Flexible 3-tier Architecture

From ESA Archives to External Archives SIMBAD, NED, ADS, IRAS

From External Archives to ESA Archives

Observation / Exposure log Postcard and Product Server

Conclusions



IDA and XSA Quick Overview


- Available at http://www.iso.vilspa.esa.es/ida-since December 1998
- Contains all raw data, fully processed, science and calibration data
- Contains all ancillary data (engineering, uplink and downlink data)
- Around 400 GB of data on magnetic disks
- Already downloaded more than 5 times, over 1200 registered users
- Configurable and re-usable
- Each observation has a data quality flag

XMM-NEWTON Science Archive (XSA)

- Available at http://xmm.vilspa.esa.es/xsa since April 2002
- Based on IDA design and architecture (95% same code)
- Contains all raw data, fully processed, science and calibration data
- Contains some ancillary data
- Around 1 TB of data on magnetic disks
- Unrestricted access to public data, observation PI access to proprietary data




An open 3-tier architecture : Separate the Data from the Presentation





From ESA Archives to External Archives






From External Archives to ESA Archives

- 1. Delivery of the Archive observation / exposure log
 - Format and update frequency to be agreed
- 2. Integration of this log into the remote archive or application
- 3. Link from the remote archive / application to the quick look image
- 4. Link from the remote archive / application to the data products via FTP
 - Product Server



Observation / Exposure log

- File with the list of ISO observations or XMM-NEWTON observations / exposures with associated parameters
 - Obs / exp id, PI name, coordinates, time, quality flag, release date, ...
 - Can be tuned according to remote service requirements
- Currently the logs are ASCII fixed width files
 - Just an export view of our database
 - But could be other format (XML, HTML, VOTable, etc...)
 - Easy to ingest and parse
- Delivery mean (mail, FTP) and update frequency to be agreed with the remote service






Postcard Server


∠ URL / Java Server Page which returns a HTML page

- Input parameter typically is observation / exposure id
- HTML page contains the corresponding image with relevant links to on-line documentation and data quality flag
- Check is made on data availability
- Already available for ISO in CDS, IRSA, ADS, HEASARC
- Available for XMM-NEWTON this summer





ISO Postcard Server



Christophe ARVISET




Product Server

∠ URL / Java Server Page which returns a FTP download session

- Input parameter typically is observation / exposure id
- The full associated dataset is downloaded
- Check is made on data availability

Available for ISO and XMM-NEWTON this summer





Conclusions

- Easy and fast integration into the VO architecture

E Flexible, fast, direct and secure

- Remote service can choose how to use the log (html, map, ...)
- Only the metadata (log) is needed on the remote service
- Instant access to the latest data sets
- Product access is controlled by our local archive

Currently dedicated interfaces have been defined but having common standards would help the integration

- XML, VOTable, ...
- Automatic and dynamic obs log delivery
- Direct query mechanisms



If you want your archive / application to inter-operate with our Archives,



Just ask for it!

Please contact me Christophe.Arviset@esa.int